


CONTROL APPROVAL SYMBOL
SPMCS-85

WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 21 JUNE 1946

ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE

INJURY

ARMY
MEDICAL
JUL 17 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 21 JUNE 1946

NATURE OF THE DATA	PAGE 2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	18
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.	19

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Army Areas it should be borne in mind that morbidity rates naturally tend to be higher in those Army Areas which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Army Area (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Army responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

MORBIDITY FROM — ALL CAUSES — INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (Page 3)

Morbidity from all causes during the week ended 21 June decreased, being reported at 500 admissions per 1000 troops per annum, as compared with a rate of 512 during the preceding week.

Injury: (Page 3)

Injury admissions increased to 40 per 1000 troops per annum; highest rate was that reported from the Third Army Area (53 per 1000), ranging down to 32 per 1000 in the Second Army Area.

Diseases: (See opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 473 to 460 admissions per 1000 troops per annum.

Respiratory Diseases:

(See opposite page and pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 79 per 1000 to 63 per 1000. Morbidity from these causes was highest in the Fifth Army Area.

Admissions for all forms of pneumonia decreased to 10 per 1000 troops per annum. Highest morbidity (20 admissions per 1000 troops per annum) was reported from the Third Army Area; rates ranged downward to 3 per 1000 (only 3 cases) in the Military District of Washington. The rate for pneumonias other than primary atypical remained at 3.6 admissions per 1000 troops per annum.

Venereal Diseases:

Admissions for "new non-EPTS" venereal diseases increased during the week from 74 to 75 per 1000 troops per annum.

Other Communicable Diseases:

The rate for scarlet fever was reported at 4.0 admissions per 1000 troops per annum during the current week, as compared with the previous week's rate of 4.2.

The rate for rheumatic fever decreased from 4.6 to 4.1 per 1000 troops per annum.

Admissions for streptococcal sore throat numbered 1.0 per 1000 troops per annum.


MORBIDITY AT TRAINING CENTERS: (Page 13)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces


MORBIDITY FROM SELECTED CAUSES — UNITED STATES AND ARMY AREAS

ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 21 JUNE 1946


ALL CAUSES






CURRENT WEEK DISEASE



COLDS, INFLUENZA, ETC.



CURRENT YEAR TO DATE




MORBIDITY FROM SELECTED CAUSES — UNITED STATES AND ARMY AREAS


ADMISSIONS PER 1000 TROOPS PER YEAR — WEEK ENDED 21 JUNE 1946

CURRENT WEEK


VENEREAL DISEASE






SCARLET FEVER



RHEUMATIC FEVER



CURRENT YEAR TO DATE



COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

Stations having training centers are marked in the tables in this report as follows:

- 1/ Army Air Forces Basic Training Center.
- 2/ Other Army Training Centers.
- 3/ Personnel Center.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 5 per cent.

Admissions for colds, influenza, etc., at stations having training centers decreased during the week from 93 to 64 per 1000 troops per annum. The rate for these stations was only slightly higher than that reported from other stations.

Admissions for pneumonia at training center stations as a whole decreased from 24 to 17 per 1000 troops per annum. However, the rate at other stations continued at 7.

Morbidity from scarlet fever at stations having training centers decreased from 7 to 6 admissions per 1000 troops per annum. The rate for rheumatic fever also decreased during the week (6 to 4 admissions per 1000 troops per annum) at stations having training centers.

Venereal disease admissions at stations having training centers decreased during the week from 80 to 77 per 1000 troops per annum.

NONEFFECTIVE RATE: (Page 9)

The noneffective rate for personnel stationed in the continental United States is estimated at 39.2.

PATIENTS REMAINING UNDER TREATMENT: (Page 9)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 67,882, as compared with 70,208 at the end of the previous week.


The number of neuropsychiatric cases remaining was 4386 or about 100 more than at the end of the previous week. Battle wounded remaining continued to number about the same as the previous week 14,413.

CERTIFICATES OF DISABILITY FOR DISCHARGE: (Page 10)

In the week ended 21 June there were 1313 enlisted personnel discharged by CDD (about 100 less than in the previous week). Among them were 188 neuropsychiatric cases. These 1313 discharges included 71 accomplished at Air Force medical activities.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES




PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE ARMY AREAS

RESTRICTED

ARMY AREAS	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH										
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		SCARLET FEVER		VENEREAL (EXCL. EPTI)				
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current **	Previous **
TOTAL UNITED STATES	1062860	1093858	500	512	460	473	40	39	63	79	10	12	4	4	75	74	39	39
MIL. DIST. OF WASHINGTON	46622	46690	418	462	383	436	35	26	64	77	37	9	37	17	40	67	47	47
FIRST ARMY AREA	134916	142930	559	514	522	482	37	32	54	66	9	5	27	17	91	77	40	35
SECOND ARMY AREA	205507	206916	505	546	473	512	32	34	64	77	12	13	4	4	81	96	33	34
THIRD ARMY AREA	165661	166798	518	514	465	463	53	51	40	46	30	30	17	07	112	93	41	44
FOURTH ARMY AREA	191527	204536	541	553	492	505	49	48	68	100	5	9	17	3	62	58	39	37
FIFTH ARMY AREA	141273	144345	440	484	402	447	38	37	80	103	10	10	11	9	44	55	39	37
SIXTH ARMY AREA	177354	181643	455	464	422	427	33	37	73	83	7	5	6	8	69	63	42	44
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current ***	Previous ***
TOTAL UNITED STATES	1469518	2886324	607	621	574	570	33	51	148	147	16	13	8	2	75	43	77	86
MIL. DIST. OF WASHINGTON	47465	51503	684	606	658	566	26	40	237	157	23	7	20	0	45	21	76	72
FIRST ARMY AREA	189377	262288	619	661	591	618	28	43	121	140	11	8	3	2	66	48	107	124
SECOND ARMY AREA	259258	327845	671	637	642	596	29	41	175	157	16	14	12	1	85	55	75	134
THIRD ARMY AREA	279990	703797	552	609	517	549	35	60	102	123	22	14	5	1	113	47	67	74
FOURTH ARMY AREA	249888	686652	613	625	575	568	38	57	178	167	16	17	6	2	61	37	63	60
FIFTH ARMY AREA	204274	376048	615	596	586	559	29	37	173	151	17	11	12	4	54	44	100	101
SIXTH ARMY AREA	239266	478191	562	622	524	571	38	51	121	143	9	8	5	2	62	39	65	75

WEEKLY HEALTH REPORT

RESTRICTED.

VOLUME VI REPORT NO. 25
WEEK ENDING 21 June 1946

SUMMARY FOR TOTAL UNITED STATES AND THE ARMY AREAS

ARMY AREAS	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS					NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY		
									IN USA	OUT OF USA									
C U R R E N T W E E K																			
TOTAL UNITED STATES	1062860	48	134	82	9	83	134	59	1	188	49	23	93	40	19	21		1313	
MIL. DIST. OF WASHINGTON	46622	5	6	3		4	2	2		4		1		1	1			60	
FIRST ARMY AREA	134916	2	6	4		4	15	19		13	13	8	10	12	8	4		228	
SECOND ARMY AREA	205507	12	20	15	4	19	31	10		24	5	2	39	8	1	7		158	
THIRD ARMY AREA	165661	1	17	3		2	54	4	1	23	4		12	2		2		151	
FOURTH ARMY AREA	191527	18	24	4		32	4	11		63	12	8	6	8	4	4		266	
FIFTH ARMY AREA	141273	6	14	31	3	14	21	8		28	10	2	12	6	4	2		362	
SIXTH ARMY AREA	177354	4	47	22	2	8	7	5		33	5	2	14	3	1	2		88	
P R E V I O U S W E E K																			
TOTAL UNITED STATES	1093858	67	122	89	11	97	171	46	5	177	45	31	101	64	24	39	1	1424	
MIL. DIST. OF WASHINGTON	46690	1	5	1	1	11	6	4		7	1			4	4			59	
FIRST ARMY AREA	142930	1	11	3		9	12	13		21	4	6	9	11	4	6	1	224	
SECOND ARMY AREA	206916	15	33	17	3	16	36	2		36	8	10	33	7	3	4		214	
THIRD ARMY AREA	166798	6	6	1	1	15	81	1	5	22	6	1	19	21	4	17		210	
FOURTH ARMY AREA	204536	19	19	13	1	27	11	7		36	11	5	20	6	2	4		236	
FIFTH ARMY AREA	144345	11	22	25	4	14	20	11		22	8	8	8	10	5	5		278	
SIXTH ARMY AREA	181643	14	26	29	1	5	5	8		33	7	1	12	5	2	3		203	

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS—WEEK ENDED - 21 JUNE 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 TROOPS PER ANNUM										NUMBER OF ADMISSIONS																								DEATH
		ALL CAUSES	DISEASES	INJURY	"NEW" NON-EPTS VENEREAL DISEASES	CLOUDS, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	MUMPS	PNEU- MONIA				SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	INFECTIOUS HEPATITIS	PNEUMATIC FEVER	VENEREAL DISEASES**															
											ALL FORMS	PRIMARY ATYPICAL	NON-EPTS CASES	NOT PREVIOUSLY REPORTED							GONORRHEA	SYPHILIS	READMISSION	EPTS												
																									TOTAL	WHITE TROOPS	COLOR TROOPS	ALL PERSONNEL	WHITE TROOPS	COLOR TROOPS	ALL PERSONNEL	WHITE TROOPS	COLOR TROOPS	ALL PERSONNEL	WHITE TROOPS	
MIL DIST OF WASHINGTON	46622	418	383	35	40	64	5		6	3	2	3			4	2	4	36	13	23	32	12	20	4	1	3	4	3	1	1	1	1				
Belvoir, Ft, Va (RH) 2/	20458	443	397	46	66	56	5		4	1		3			1	1	4	26	9	17	23	8	15	3	1	2	4	3	1							
Washington Gen Disp,DC	7366	261	261			106			1								1																			
TOTAL: ALL STATIONS UNDER 5000 STRENGTH & MISCELLANEOUS UNITS	18798	451	415	36	28	55			1	2	2				3			10	4	6	9	4	5	1	1				1	1		1	1			
FIRST ARMY AREA	134916	559	522	37	91	54	2		6	23	15	4	13	9	13	19	4	235	92	143	196	71	125	36	19	17	15	12	3			12	8			
Dix, Ft, NJ 2/	36592	495	486	9	34	33	1			1	1		5	2	3			24	9	15	20	7	13	4	2	2	3	3								
Kilmer, Cp, NJ	27219	869	835	34	275	61	1		5	5	1			5	7			144	56	88	119	44	75	23	11	12					2	1				
Monmouth, Ft, NJ	13499	374	328	46	42	81			1	7	6	3		4		3		11	4	7	11	4	7				1	1								
Westover Field, Mass	5446	391	353	38?	38?	96				1	1		1	1				4	1	3	2		2	2	1	1					1					
TOTAL: ALL STATIONS UNDER 5000 STRENGTH & MISCELLANEOUS UNITS	52166	507	452	55	52	54				9	6	1	7	5	5	9	1	52	22	30	44	16	28	7	5	2	11	8	3			9	7			
SECOND ARMY AREA	205507	505	473	32	81	64	12	4	20	47	31	15	5	18	24	10	19	322	127	195	263	101	162	51	25	26	48	36	12	28	14	14	8	1		
Aberdeen ProGr, Md 2/	23566	472	448	24	84	106	7		6	8	8	3						38	12	26	30	9	21	7	3	4	6		6	1	1					
Atterbury, Cp, Ind 2/	14264	372	372		47	22				2	2		1	1	2	3	13	11	2	5	5		7	6	1			20	11	9						
Campbell, Cp, Ky	20260	410	377	33	59	5?				2	1			2				23	21	2	21	20	1									1				
Dayton, Ohio AAF Tech Base (RH)	8105	417	359	58	32?	71			1					1		2	5		5		5	5					5	4	1	1	1	1				
Eustis, Ft, Va 2/ George G Meade, Ft, Md, (RH) 3/	15306 16289	792 534	744 524	48 10?	180 102	95 35		2 1	1 2	3 2	1 2			1 2	1 4	1 7		53 32	5 15	48 17	51 24	5 11	46 13	2 6	2 4	18 2	18 2	1 1	1 1			1 4				
Knox, Ft, Ky 2/	27874	556	511	45	69	123	3	2	2	13	7	3		14	1		4	37	23	14	30	18	12	7	5	2						4				

36 FORM 28 MAY 1946 945

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza
** Includes cases carded for record only

RESTRICTED

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED - 21 JUNE 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 TROOPS PER ANNUM						NUMBER OF ADMISSIONS																												DEATHS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		ALL CAUSES	DISEASES	INJURY	*NEW* NON-EPTS VENEREAL DISEASES	COLD, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	WUMPS	PNEU- MONIA		SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	INFECTIOUS HEPATITIS	PNEUMATIC FEVER	VENEREAL DISEASES**														READMISSION	EPTS			ALL CAUSES	DISEASES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
											ALL FORMS	PRIMARY ATYPICAL							NON-EPTS CASES NOT PREVIOUSLY REPORTED				ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	TOTAL		GONORRHEA	SYPHILIS	ALL PERSONNEL			WHITE	COLORED																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
																			TOTAL		GONORRHEA																				SYPHILIS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

SG FORM 945
28 MAY 1946

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza
** Includes cases carded for record only

RESTRICTED

MORBIDITY FROM SELECTED CAUSES

ADMISSIONS TO HOSPITAL AND QUARTERS-WEEK ENDED - 21 JUNE 1946

RESTRICTED

STATION	MEAN STRENGTH	ADMISSIONS PER 1000 TROOPS PER ANNUM						NUMBER OF ADMISSIONS																				DEATHS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		ALL CAUSES	DISEASES	INJURY	"NEW" NON-EPTS VENEREAL DISEASES COLD, INFLUENZA, ETC.	DIPHTHERIA	MEASLES	MENINGOCOCCIC MENINGITIS	MUMPS	PNEU- MONIA		SCARLET FEVER	TUBERCULOSIS	DIARRHEA AND DYSENTERY	MALARIA	INFECTIOUS HEPATITIS	RICKETTSIAL FEVER	VENEREAL DISEASES**											READMISSION	EPTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										TOTAL	GONORRHEA							SYPHILIS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	TOTAL	GONORRHEA	SYPHILIS			ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																																	TOTAL	GONORRHEA	SYPHILIS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
																																										ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS	ALL PERSONNEL	WHITE TROOPS	COLORED TROOPS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
FOURTH ARMY AREA CONTD																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

56 FORM 28 MAY 1946 945

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis, Acute Catarrhal Laryngitis and Influenza
 ** Includes cases carded for record only

RESTRICTED

ADMISSIONS TO HOSPITAL AND QUARTERS—WEEK ENDED - 21 JUNE 1946

[illegible]

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 25
WEEK ENDING 21 JUNE 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			MEASLES Annual Admission Rate per 1000		
Buckley Field, Colo	1182	1021	Buckley Field, Colo	1134	999	San Antonio, Texas	16	9?
Kilmer, Cp, NJ	869	679	Kilmer, Cp, NJ	835	654	Aberdeen PrGr, Md 2/	15	18
Jackson, Ft, SC	858	355	Jackson, Ft, SC	793	330			
Eustis, Ft, Va 2/	792	726	Eustis, Ft, Va 2/	744	676	NO OTHER STATIONS WITH SIX		
Bliss, Ft, Texas 2/ 3/	711	717	Bliss, Ft, Texas 2/ 3/	674	664	OR MORE CASES.		
Geiger Field, Wash	692	458	Geiger Field, Wash	672	445			
Sam Houston, Ft, Texas 2/ 3/	645	485	San Antonio, Texas	641	680			
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER Annual Admission Rate per 1000		
Geiger Field, Wash	363	256	Keesler Field, Miss 1/	63 (63)	89 (89)	Buckley Field, Colo	185	89
Amarillo AAF, Texas	260	408	McClellan, Ft, Ala 2/	61 (51)	122 (105)	Lewis, Ft, Wash 2/ 3/	23	27
Buckley Field, Colo	249	254	Monmouth, Ft, NJ	27 (23)	12? (12?)	Lee, Cp, Va 2/	9	9
Lowry Field, Colo	167	241	Knox, Ft, Ky 2/	24 (13)	22 (8?)			
San Antonio, Texas	152	202	Berning, Ft, Ga	20 (11?)	5? (5?)	NO OTHER STATIONS WITH SIX		
Bliss, Ft, Texas 2/ 3/	147	171	Aberdeen PrGr, Md 2/	18 (18)	20 (20)	OR MORE CASES.		
Knox, Ft, Ky 2/	123	157	Lee, Cp, Va 2/	16 (13)	14 (14)			
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Jackson, Ft, SC	336	59	Polk, Cp, La 2/	105	89			
Kilmer, Cp, NJ	275	206	McClellan, Ft, Ala 2/	82	32			
Berning, Ft, Ga	233	127	Jackson, Ft, SC	65	25?			
Eustis, Ft, Va 2/	180	205	Joseph T Robinson, Cp, Ark 2/	64	91			
Sam Houston, Ft, Texas 2/ 3/	151	86	Dayton AAF Tech Base, Ohio	58	45			
Stoneman, Cp, Calif	138	127	Chamite Field, Ill	57	36			
Lawton, Ft, Wash	120	129	Amarillo AAF, Texas	56	41			

FORM SG-396E Rev. 24 April 1946

RESTRICTED

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis, and Influenza.

**Figures in parentheses are rates for atypical pneumonia only.

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 25
WEEK ENDING 21 JUNE 19 46

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>POLIOMYELITIS (2)</u></p> <p>1-Bergstrom Field, Texas 1-Brooke GH, Texas</p>	<p><u>COCCIDIOIDOMYCOSIS (7)</u></p> <p>1-Beale, Cp, Calif 6-Williams Field, Ariz</p>	<p><u>LYMPHOCYTIC CHORIOMENINGITIS (1)</u></p> <p>1-George G Meade, Ft, Md</p> <p>DELAYED REPORT WEEK ENDED: 14 June 1946</p> <p>1-Kansas City Gen Disp, Mo</p>	<p><u>SCABIES (48)</u></p> <p>22-Eustis, Ft, Va 26-Sam Houston, Ft, Texas</p>	<p><u>AMEBIC DYSENTERY (8)</u></p> <p>1-Halloran GH, NY 1-Monmouth, Ft, NJ 2-McCoy, Cp, Wis 1-Carson, Cp, Colo 1-O'Reilly GH, Mo 1-Bruns GH, N Mex 1-Douglas, Ft, Utah</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>GERMAN MEASLES</u></p> <p>13-Knox, Ft, Ky</p>
<p><u>ANKYLOSTOMIASIS (1)</u></p> <p>1-Brooke GH, Texas</p>	<p><u>DENGUE FEVER (1)</u></p> <p>1-Oakland RH, Calif</p>				<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p>

